



Polymerase chain reaction

(PCR) Diagnostic Kit for

Hepatitis Virus



Features

Q Quality control

Internal control to monitor the whole NAT procedure

LOD: 10 IU/mL (HBV) and 20 IU/mL (HCV)

Shorter window period

Shorter window period (diagnostic period) owing to the adoption of PCR-based technology

igo(igotimes) Wide linear range

Wide linear range from 20 to more than 1.0×10° IU/mL (HBV) and from 50 to more than 1.0×10° IU/mL (HCV)

Fully automatic nucleic acid extraction

Compatible with automated extraction platform for nucleic acid purification

No cross-reactivity

Accuracy can be guaranteed as the kits are free of crossreactivity with other viruses








The 1st company in China to obtain **CE List A** approval for **HBV/HCV** PCR kit.

Polymerase chain reaction (PCR) Diagnostic Kit for Hepatitis Virus

Since 1995, Daan gene has been engaged in the R&D and clinical practice of hepatitis virus nucleic acid reagent. In 1999, The PCR detection kit for Hepatitis B Virus has been launched and became the first commercial HBV PCR kit in China and in the world. **On April 12, 2022,** Daan Gene's nucleic acid testing kits for **Hepatitis B Virus** (PCR-fluorescent probe method) and **Hepatitis C Virus** nucleic acid testing kits (PCR-fluorescent probe method) obtained **CE List A** product certification, becoming China's **FIRST** manufacturer to obtain the highest level of NAAT kit certification in the European Union.

Years of Daan Gene's Combat with the Hepatitis Virus



Background

Hepatitis B and C are viral infections that attack the liver and can cause both acute and chronic hepatitis, ranging in severity from a mild illness to a serious, lifelong illness including liver cirrhosis and cancer. Hepatitis B and C can also be transmitted through unsafe injections, sexual contact and sharing equipment for injecting drug use, etc.

WHO estimates that 354 million people worldwide live with hepatitis B or C, with about 3 million new infections occurring per year.

WHO's Global hepatitis strategy aims to reduce new hepatitis infections by 90% and deaths by 65% between 2016 and 2030.

Clinical Significance

- Used in early diagnosis of at-risk individuals
- Used to monitor response to therapy and as a marker of infectivity
- The WHO "Guidelines on hepatitis B and C testing" made a strong recommendation for the use
 of a nucleic acid testing assay (e. g. PCR) as the preferred strategy for diagnosis of viraemic
 infection.





Diagnostic Kit for Quantification of Hepatitis B Virus DNA

(PCR-Fluorescence Probing)

Diagnostic Kit for Quantification of Hepatitis B Virus DNA (PCR-Fluorescence Probing) is intended for the quantitative detection of HBV DNA in human serum or plasma specimens. This kit is based on the real-time fluorescent PCR technique and designs specific primers and fluorescence probes that take relatively conserved regions in the HBV genome as target regions.



Parameter

Test Principle	Quantitative real-time fluorescent PCR
Specimen type	Serum or plasma
Fluorescence channel	FAM, VIC
LOD	10 IU/mL
linear range	20 IU/mL-1.0×10 ⁹ IU/mL
Storage and shelf life	-20±5°C, 9 months
Applicable Instruments	ABI Prism 7500
Certificate	CE, NMPA, FSC



Diagnostic Kit for Quantification of Hepatitis C Virus RNA

(PCR-Fluorescence Probing)

Diagnostic Kit for Quantification of Hepatitis C Virus RNA (PCR-Fluorescence Probing) is intended for the quantitative detection of hepatitis C virus (HCV) RNA in human serum or plasma specimens. This kit is based on the real-time fluorescent PCR technique and designs specific primers and fluorescence probes that take relatively conserved regions in the HCV genome as target regions.



Parameter

Test Principle	Quantitative real-time fluorescent PCR
Specimen type	Serum or plasma
Fluorescence channel	FAM, VIC
LOD	20 IU/mL
linear range	50 IU/mL-1.0×10 ⁸ IU/mL
Storage and shelf life	-20±5°C, 9 months
Applicable Instruments	ABI Prism 7500
Certificate	CE, NMPA, FSC



Diagnostic Kit for Quantification of Hepatitis B Virus

DNA (PCR-Fluorescence Probing)

Diagnostic Kit for Quantification of Hepatitis B Virus DNA (PCR-Fluorescence Probing) is intended for the quantitative detection of hepatitis B virus (HBV) DNA in human serum or plasma specimens. This kit is based on the real-time fluorescent PCR technique and designs specific primers and fluorescence probes that take relatively conserved regions in the HBV genome as target regions.



Parameter

Test Principle	Quantitative real-time fluorescent PCR
Specimen type	Serum or plasma
Fluorescence channel	FAM, VIC
LOD	30 IU/mL
linear range	100 IU/mL-5.0×10 ⁸ IU/mL
Storage and shelf life	-20±5°C, 9 months
Applicable Instruments	ABI Prism 7300, ABI Prism 7500, LightCycler480
Certificate	NMPA, FSC



Description	Cat. No.	Package
Diagnostic Kit for Quantification of Hepatitis B Virus DNA (PCR-Fluorescence Probing)		Large package, 48 tests/kit
Diagnostic Kit for Quantification of Hepatitis C Virus RNA (PCR-Fluorescence Probing)		Large package, 48 tests/kit
Discussion Vibras Quantification of Handatis D.Vivus DNA (DOD Flushessors Dashing)	DA0030	Single tube for single test: 20 tests/kit
Diagnostic Kit for Quantification of Hepatitis B Virus DNA (PCR-Fluorescence Probing)	DA0032	Large package, 20 tests/kit

Daan Gene Co., Ltd.

CHINA (Headquarters)

Add: No.19, Xiangshan Road, Science Park, High & New Technology Development District, Guangzhou, Guangdong, P.R. China

▼ Tel.: +86-20-32068126
 Fax: +86-20-32068352

☑ Email: marketing@daangene.com

CANADA office

2 Add.: #413-4538 Kingsway, Burnaby, BC V5H 4T9, Canada

© Tel.: +1604 451 7588

☐ Fax: +604451.7587

☑ Email: gbai@daangene.net

COLOMBIA office

Add.: Cl 93 No.16 46 Of 702, Bogotá D.C.

▼ Tel.: +57 3103940417

oxtimes Email: alonso.zheng@daangene.net

Website: https://en.daangene.com/





